

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	350601	thread	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:19
S2	38634	((multiple or plural\$3 or several or variet\$3 or collect\$3 or pair or additional or added or various or divers\$3 or (more adj than adj one) or varied or (large adj (number or quantit\$3 or amount)) or differ\$3 or distinct\$3) near3 S1) or multithread\$2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:20
S3	4844748	algor\$thm or method or process or formula\$1 or equation or function or procedure or technique or routine	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:21
S4	1735261	job or work or task or project	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:21
S5	1653606	(second\$3 or two or 2nd or differ\$3 or distinct\$3 or additional or added) near3 S3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:38
S6	10902	S2 and S4 and S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:25
S7	1763	((pend\$3 or wait\$3 or queu\$4 or hold\$3 or held or suspen\$4 or quiesc\$3) near5 S4) and S6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:39
S8	13943	(configur\$5 or reconfigur\$5 or establish\$4 or reestablish\$4) near5 S1	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:27
S9	353	S7 and S8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:27
S10	4132	denial adj2 service	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:28
S11	581	(alleviat\$3 or control\$3 or controlling or decreas\$3 or eliminat\$3 or lessen\$3 or limit\$3 or lower\$3 or minimi\$ or mitigat\$3 or reduc\$3 or reduction or regulat\$3 or restrict\$3) near5 S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:29
S12	1	S9 and S11	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:29

## EAST Search History

S13	181	(S9 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in. or ibm.as. or (international adj business adj machines).as.)) not S12	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:32
S14	3	S13 and S10	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:37
S15	310062	algor\$thm	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:37
S16	31893	(second\$3 or two or 2nd or differ\$3 or distinct\$3 or additional or added) near3 S15	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:38
S17	587	S2 and S4 and S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:38
S18	993	((pend\$3 or wait\$3 or queue\$4 or hold\$3 or held or suspen\$4 or quiesc\$3) near5 S4) and S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:45
S19	103	((pend\$3 or wait\$3 or queue\$4 or hold\$3 or held or suspen\$4 or quiesc\$3) near5 S4) and S17	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:40
S20	10	S19 and S8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 13:40
S21	9	S20 not (S12 or S14)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:01
S22	17	(S19 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in.)) not (S12 or S14 or S21)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:20
S23	10483	S1 same S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:21
S24	117	S1 same S16	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:22
S25	112	S24 not (S21 or S14 or S12)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:22

## EAST Search History

S26	38	S25 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:42
S27	33	S26 and (@ad<"20031002" or @rlad<"20031002" or @prad<"20031002")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:46
S28	1590	(S23 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in.)) not (S27 or S21 or S14 or S12)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:43
S29	5222	S1 with S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:43
S30	1047	(S29 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in.)) not (S27 or S21 or S14 or S12)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:43
S31	244	((pend\$3 or wait\$3 or queu\$4 or hold\$3 or held or suspen\$4 or quiesc\$3) near5 S4) and S30	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:46
S32	76	S31 and S8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 14:46
S33	350601	thread	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S34	38634	((multiple or plural\$3 or several or variet\$3 or collect\$3 or pair or additional or added or various or divers\$3 or (more adj than adj one) or varied or (large adj (number or quantit\$3 or amount)) or differ\$3 or distinct\$3) near3 S33) or multithread\$2	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S35	4844748	algor\$thm or method or process or formula\$1 or equation or function or procedure or technique or routine	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S36	1735261	job or work or task or project	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43

## EAST Search History

S37	1653606	(second\$3 or two or 2nd or differ\$3 or distinct\$3 or additional or added) near3 S35	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S38	10902	S34 and S36 and S37	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S39	1763	((pend\$3 or wait\$3 or queue\$4 or hold\$3 or held or suspens\$4 or quiesc\$3) near5 S36) and S38	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S40	13943	(configur\$5 or reconfigur\$5 or establish\$4 or reestablish\$4) near5 S33	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S41	353	S39 and S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S42	4132	denial adj2 service	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S43	581	(alleviat\$3 or control\$3 or controlling or decreas\$3 or eliminat\$3 or lessen\$3 or limit\$3 or lower\$3 or minimi\$ or mitigat\$3 or reduc\$3 or reduction or regulat\$3 or restrict\$3) near5 S42	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S44	1	S41 and S43	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S45	181	(S41 and ("718".clas. or "101". clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$. in. or heller-richard\$.in. or williams-gary\$.in. or ibm.as. or (international adj business adj machines).as.)) not S44	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S46	3	S45 and S42	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S47	310062	algor\$thm	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S48	31893	(second\$3 or two or 2nd or differ\$3 or distinct\$3 or additional or added) near3 S47	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S49	587	S34 and S36 and S48	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43

## EAST Search History

S50	103	((pend\$3 or wait\$3 or queue\$4 or hold\$3 or held or suspen\$4 or quiesc\$3) near\$ S36) and S49	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S51	10	S50 and S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S52	9	S51 not (S44 or S46)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S53	117	S33 same S48	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S54	112	S53 not (S52 or S46 or S44)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S55	38	S54 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S56	33	S55 and (@ad<"20031002" or @rlad<"20031002" or @prad<"20031002")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S57	5222	S33 with S37	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S58	1047	(S57 and ("718".clas. or "101".clas. or "700".clas. or "709".clas. or cavage-m\$.in. or hazlewood-k\$.in. or heller-richard\$.in. or williams-gary\$.in.)) not (S56 or S52 or S46 or S44)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S59	244	((pend\$3 or wait\$3 or queue\$4 or hold\$3 or held or suspen\$4 or quiesc\$3) near\$ S36) and S58	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S60	76	S59 and S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S61	64	S60 and (@ad<"20031002" or @rlad<"20031002" or @prad<"20031002")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/06/01 16:43
S62	5096	multiple WITH scheduling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:51

## EAST Search History

S63	23356	authentication AND authorization	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:51
S64	9517	FIFO WITH queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:51
S65	10656	multithreaded OR multiple thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:51
S66	31	S62 SAME S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:52
S67	0	S66 AND S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:52
S68	186	S62 AND S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:52
S69	24	S68 AND S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:52
S70	0	S69 AND S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:52

## EAST Search History

S71	24	S69 AND authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:52
S73	17	S69 AND administration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:53
S74	11183	authentication AND administration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:54
S75	106	S62 AND S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:54
S76	19	S75 AND S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:54
S77	0	S76 AND S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:55
S78	379	S65 AND S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:55
S79	22	S78 AND S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:56

## EAST Search History

S80	0	S79 AND S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:56
S81	23595	first WITH queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:56
S82	68	S78 AND S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:56
S83	21	S82 AND S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:56
S84	2	S82 AND S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:57
S85	1	S84 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:59
S86	3	S82 AND authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 08:59
S87	2	S86 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:06



## EAST Search History

S88	26564	mode switching	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:08
S89	347	S88 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:08
S90	23595	first WITH queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:08
S91	0	S89 AND S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:08
S92	629	S88 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:09
S93	1	S90 AND S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:10
S94	443232	(switch\$4 OR chang\$5) WITH mode	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:32
S95	31853	S94 WITH (multiple OR different)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:33

## EAST Search History

S96	472	S95 AND S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:33
S97	12	S95 SAME S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:37
S98	12	S96 AND (multithreaded OR multiple thread OR plurality of thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:38
S99	11	S98 NOT S97	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:38
S10 0	2	S99 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:40
S10 1	12	S95 AND S98	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:40
S10 2	1	S101 NOT S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:40
S10 3	1	S102 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:41

## EAST Search History

S10 4	1368	S95 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:41
S10 5	37	S104 AND S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 14:41
S10 6	33	S105 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:11
S10 7	84	S96 AND thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:11
S10 8	24	S107 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:17
S10 9	7672	parameter SAME authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:18
S11 0	131	S109 SAME administrative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:18
S11 1	0	S110 SAME thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:18

## EAST Search History

S11 2	26	S110 AND thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 15:18
S11 3	25	S112 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 16:28
S11 4	3421	thread WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 16:28
S11 5	213	thread parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 16:29
S11 6	10656	multithreaded OR multiple thread OR plurality of thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 16:29
S11 7	34	S115 AND S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 16:29
S11 8	24	S117 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:15
S11 9	77459	parameter SAME (id OR identification OR authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:16

## EAST Search History

S12 0,	690	S119 SAME thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:16
S12 1	23595	first WITH queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:17
S12 2	1	S120 SAME S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:17
S12 3	106	S120 AND S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:17
S12 4	83	S123 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:51
S12 5	5661	(executing OR running OR processing) thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:52
S12 6	31031	(executing OR running OR processing) WITH thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:52
S12 7	21	S125 SAME S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:53

## EAST Search History

S12 8	21	S127 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:57
S12 9	94240	based NEAR3 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:57
S13 0	13	S126 WITH S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:58
S13 1	9	S130 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/04 18:58
S13 2	69523	processing WITH (job OR task OR thread OR "work item")	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/05 09:24
S13 3	16424	processing (job OR task OR thread OR "work item")	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/06/05 09:25
S13 5	4671	examining WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:26
S13 6	1	S133 SAME S135	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:41
S13 7	0	processing based parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:41

## EAST Search History

S13 8	16361	processing parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:42
S13 9	113	S138 WITH (job OR taks OR thread OR "work item")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:42
S14 0	96	S139 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:46
S14 1	20554	(processing OR selecting) adj (job OR task OR thread OR "work item")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:47
S14 2	836	S141 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:47
S14 3	3826	S132 AND (multithreaded or multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:48
S14 4	13	S142 AND (multithreaded or multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:48
S14 5	11	S144 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:51

## EAST Search History

S14 6	1176	(examine OR check) (thread OR job OR task OR "work item")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:51
S14 7	25	S146 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:51
S14 8	21	S147 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:56
S14 9	0	prcoesiing (task OR job OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:56
S15 0	0	prcoessing (task OR job OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:57
S15 1	19297	processing (task OR job OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:57
S15 2	194	S151 WITH attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:57
S15 3	10	S152 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:57



## EAST Search History

S15 4	6	S153 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:58
S15 5	19	S152 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 09:59
S15 6	19	S155 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:00
S15 7	0	sectlting threads to process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:00
S15 8	0	selecting threads to process	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:01
S15 9	17211	(job OR task OR thread) WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:01
S16 0	904	S159 WITH processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:02
S16 1	47	S160 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:02

## EAST Search History

S16 2	41	S161 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:31
S16 3	41632	PID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:31
S16 4	27011	(examine OR check) WITH (characteristic OR criterion OR criteria OR priority OR PID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:43
S16 5	1431	S164 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:35
S16 6	662	S164 WITH (job OR task OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:35
S16 7	21	S166 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:36
S16 8	18	S167 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:40
S16 9	68	S166 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:41

## EAST Search History

S17 0	55	S169 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:41
S17 1	55	S170 NOT S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:41
S17 2	21137	(examine OR check) WITH (characteristic OR criterion OR criteria OR PID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:43
S17 3	249	S172 WITH (job OR task OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:44
S17 4	16	S173 AND (multithreaded OR multiple thread OR plurality thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:44
S17 5	12	S174 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:47
S17 6	87406	allow\$5 access	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:52
S17 7	748	S176 WITH (thread OR job OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:52

## EAST Search History

S17 8	68	S177 SAME (authentication OR authorization OR identification OR id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:53
S17 9	48	S178 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:54
S18 0	1344	selecting (job OR thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:55
S18 1	35	S180 WITH (characteristic OR criteria OR criterion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:55
S18 2	28	S181 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 10:55
S18 3	0	processign according characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:04
S18 4	0	processing according characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:04
S18 5	4671	examining WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:05

## EAST Search History

S18 6	23	S185 WITH (job OR task OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:05
S18 7	20	S186 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:08
S18 8	5123	(thread OR task OR job) management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:09
S18 9	88	S188 SAME characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:09
S19 0	3848	S188 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:09
S19 1	60	S189 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:10
S19 2	14007	(characteristic OR criteria OR criterion) NEAR processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:10
S19 3	53	S192 WITH (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:11

## EAST Search History

S19 4	44	S193 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 11:11
S19 5	1117	first set parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:09
S19 6	973	second set parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:10
S19 7	482	S195 WITH S196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:10
S19 8	15	S197 WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:10
S19 9	31	S197 SAME characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:10
S20 0	0	S197 SAME processing (task OR thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:11
S20 1	0	S199 SAME (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:11

## EAST Search History

S20 2	21	S199 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:13
S20 3	623	S195 SAME S196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:13
S20 4	42	S203 SAME characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:13
S20 5	429443	S204 SAME thread OR task	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:14
S20 6	0	S204 SAME (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:25
S20 7	2	authorizing (thred OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:26
S20 8	2	authorizing (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:26
S20 9	52	(thread OR task OR job) WITH ((first AND second) NEAR parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:27

## EAST Search History

S21 0	44	S209 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:37
S21 1	8	authenticating (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:39
S21 2	862	authenticate NEAR process\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:39
S21 3	8	S212 SAME (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:39
S21 4	5	S213 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:41
S21 5	3662	identify characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:41
S21 6	10	S215 NEAR processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:49
S21 7	4155	multiple parameters	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:49



## EAST Search History

S21 8	29	S217 WITH (thread OR task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:49
S21 9	18	S218 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:58
S22 0	2338	processing items	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:58
S22 1	32	S220 WITH characteristics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 12:59
S22 2	26	S221 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:08
S22 3	12	thread authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:11
S22 4	775	authentication parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:11
S22 5	3	S224 WITH (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:11

## EAST Search History

S22 6	3	S225 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:19
S22 7	1488	multiple characteristics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:19
S22 8	10	S227 WITH (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:19
S22 9	9	S228 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:27
S23 0	717	processing NEAR data structure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:28
S23 1	3	S230 WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:28
S23 2	15	S230 SAME characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:28
S23 3	14	S232 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:29

## EAST Search History

S23 4	1	processing data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:29
S23 5	102915	processing data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:30
S23 6	1276	S235 WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:30
S23 7	8	S236 WITH (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:30
S23 8	14	S236 SAME (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:30
S23 9	11	S238 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:32
S24 0	0	processing (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:32
S24 1	19297	processing (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:32

## EAST Search History

S24 2	46798	depend\$5 (characteristic OR criteria OR criterion OR parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:34
S24 3	73372	depend\$5 NEAR (characteristic OR criteria OR criterion OR parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:34
S24 4	3	S241 WITH S243	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:35
S24 5	18	S241 SAME S243	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:35
S24 6	12	S245 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:39
S24 7	40284	parameter WITH (authentication OR identification OR id OR administrative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:42
S24 8	2597	S247 WITH processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:43
S24 9	945	restricting WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:44

## EAST Search History

S25 0	8	S248 AND S249	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:44
S25 1	5	S250 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 13:59
S25 2	194	restricting processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:00
S25 3	0	S252 NEAR parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:00
S25 4	0	S253 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:01
S25 5	3	S252 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:05
S25 6	0	restricitng processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:06
S25 7	0	paramters WITH thread execution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:07

## EAST Search History

S25 8	25	parameter WITH processing thread	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:07
S25 9	21	S258 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:26
S26 0	1314785	(thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:26
S26 1	447033	S260 AND (parameter OR characteristic OR criterio OR criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:27
S26 2	161280	S261 AND (authentication OR identification OR id OR administrative)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:28
S26 3	8128	S262 AND restricting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:28
S26 4	1645	S263 AND queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:29
S26 5	263	S264 AND multithreaded	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:29

## EAST Search History

S26 6	217	S265 AND priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:29
S26 7	57	S266 AND FIFO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:29
S26 8	47	S267 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:47
S26 9	191199	processing WITH (feature OR characteristic OR criterion OR criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:48
S27 0	2344	S269 WITH (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:50
S27 1	218	S270 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:50
S27 2	151	S271 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:50
S27 3	18	S272 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:56

## EAST Search History

S27 4	45956	state information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:56
S27 5	2524	S274 SAME parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:58
S27 6	143	S275 SAME (thread OR task OR job OR "work item")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:58
S27 7	38	S276 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 14:58
S27 8	25	S277 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:27
S27 9	97001	parameter WITH processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:27
S28 0	25447	S279 WITH control\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:28
S28 1	102	S280 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:30



## EAST Search History

S28 2	58	S281 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:47
S28 3	13072	processing WITH based WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:48
S28 4	452	S283 SAME (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:49
S28 5	39	S284 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 15:49
S28 6	11	S285 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:03
S28 7	2860	restricting WITH processing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:03
S28 8	56	S287 WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:05
S28 9	50	S288 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:08

## EAST Search History

S29 0	3	S287 WITH state information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:14
S29 1	84	S287 WITH (attribute OR characteristic OR variable OR criteria OR criterion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:16
S29 2	74	S291 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:22
S29 3	192600	processing WITH (variable OR characteristic OR criterion OR criteria OR attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:30
S29 4	1196	S293 WITH priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:24
S29 5	24	S294 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:24
S29 6	18	S295 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:24
S29 7	21285	processing WITH based WITH (variable OR characteristic OR criterion OR criteria OR attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:59

## EAST Search History

S29 8	259	S297 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:32
S29 9	228	S298 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:32
S30 0	0	processing WITH (according OR accordance) WITH (variable OR characteristic OR criterion OR criteria OR attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:57
S30 1	0	restricting WITH (according OR accordance) WITH (variable OR characteristic OR criterion OR criteria OR attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:57
S30 2	0	(processing WITH (variable OR characteristic OR criterion OR criteria OR attribute)) SAME (according OR accordance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/05 16:58
S30 3	14973	(processing OR executing OR selecting) WITH (per OR determined OR deriv?3 OR prerequisite) WITH (variable OR characteristic OR criterion OR criteria OR attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:24
S30 4	105	S303 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:00
S30 5	90	S304 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:00

## EAST Search History

S30 6	40427	(thread OR task OR job) WITH (variable OR characteristic OR criterion OR criteria OR attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:24
S30 7	2069	S306 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:25
S30 8	4104	S306 WITH (selecting OR executing OR processing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:25
S30 9	372	S308 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:26
S31 0	294	S309 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:38
S31 1	13	filtering (tasks OR thread OR job) WITH (attribute OR characteristic OR criteria OR variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:15
S31 2	10	S311 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 08:39
S31 3	523	filter WITH (task OR thread OR job) WITH (attribute OR characteristic OR criteria OR variable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:16

## EAST Search History

S31 4	4	S313 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:16
S31 5	4	S314 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:34
S31 6	4258817	(selecting OR processing OR executing OR filtering)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:34
S31 7	162794	S316 SAME (task OR thread OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:35
S31 8	12624	S317 SAME (characteristic OR attribute OR criteria OR criterion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:36
S31 9	788	S318 AND (multithreaded OR multiple thread)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:36
S32 0	530	S319 AND parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:36
S32 1	461	S320 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:36

## EAST Search History

S32 2	278	S321 AND queue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 09:49
S32 3	278	S322 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 10:05
S32 4	7707	(selecting OR filtering OR executing) NEAR (characteristic OR attribute OR criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 10:06
S32 5	202	S324 SAME (thread OR task OR job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 10:07
S32 6	157	S325 AND (@pd<"20031002" or @ad<"20031002" or @prad<"20031002" or @rlad<"20031002")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 10:07
S32 7	0	processing WITH accordance WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:25
S32 8	0	(processing OR selecting OR executing) WITH (accordance OR according) WITH parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:26
S32 9	0	(processing OR selecting OR executing) WITH (accordance OR according) WITH characteristic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:26

## EAST Search History

S33 0	0	(processing OR selecting OR executing) WITH (accordance OR according) WITH attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:26
S33 1	0	(filtering OR selecting OR executing) WITH (accordance OR according) WITH attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:26
S33 2	0	(filtering OR selecting OR executing) WITH (accordance OR according) WITH (characteristic OR parameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/06/06 12:26